

SMB AI-Systems & High-Speed Interconnect

40km optical module 25g



40km optical module 25g

| | |
|--|--|
| | <p>LS-BL312725-40I 25G SFP28 BiDi 1310nm-TX/1270nm-RX 40km DOM Simplex LC/UPC SMF Optical Transceiver Module (Industrial) Juniper 5+</p> |
| | <p>The Cisco 25GBASE-ER Module supports a link length of 40 kilometers on standard Single-Mode Fiber (SMF) G.652 at 25G.</p> |
| | <p>Supporting up to 40km transmission over single-mode fiber at ...</p> |
| | <p>HSFP28-1351 is SFP28 ER module for duplex optical data communications support 25.78 Gb/s 40Km data links. The transmitter section uses a high performance 1310nm EML and the receiver is an ...</p> |
| | <p>The Cisco compatible SFP28 transceiver provides 25GBase-ER throughput up to 40km over single mode fiber (SMF) using a wavelength of 1310nm via an LC duplex connector. It provides 25GBASE ...</p> |

| | |
|--|--|
| | <p>25G SFP28 ER 40km • Operating data rate support 25.78Gbps • EML transmitter and APD photo-detector • Compliant with IEEE 802.3-2022</p> |
| | <p>25GBASE-ER SFP28 DWDM is a high-performance module for 25G Ethernet which operates up to 40km over single-mode fiber via a Duplex LC connector - ...</p> |
| | <p>The 25G CWDM SFP28 is widely used in 25G Ethernet and 5G front haul CPRI/eCPRI, with a transmission distance of up to 10km or 15km through a pair of single-mode optical fibers. 25g sfp28 ...</p> |
| | <p>Supporting up to 40km transmission over single-mode fiber at 1310nm wavelength with host FEC support, this 25G Base ER module delivers impressive 19 dB link budget and multi-rate operation ...</p> |
| | <p>This series of products uses a pair of single-mode optical fiber for transmission, with a center wavelength of 1310nm, a distance of up to 30km (without FEC) or 40km (with FEC turned on), and ...</p> |
| | <p>Specifically, this module is designed for the most demanding networking environments. It combines a 25Gbps data rate with an extended reach (ER) of up to 40 kilometers, thereby providing a powerful ...</p> |

| | |
|--|---|
| | <p>25GBASE-ER SFP28 DWDM is a high-performance module for 25G Ethernet which operates up to 40km over single-mode fiber via a Duplex LC connector - AscentOptics.</p> |
|--|---|

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

