

48-core SC terminal box



48-core SC terminal box



This distribution box has a maximum capacity of 48 cores, with the ability to splice up to 96 cores in total. Our IP65-rated fiber distribution box is versatile for indoor and ...



The 48-Core Fiber Terminal Box is a versatile, high-capacity solution for FTTx applications, offering secure splicing, distribution, and durable protection.



Product Summary: LSSSWM 48-port terminal box SC full-configuration 48-core optical fiber distribution frame panel square head with pigtail flange



The unit comes with two 12-fiber splice trays. It is with lock security and can be opened by key. It can display for 48 cores SC or 96 cores LC connections as per the FTTX application.



Equipped with SC duplex adapters, it supports up to 48 cores for reliable, low-loss, high-speed connectivity. Its durable, weather-resistant plastic enclosure ensures protection for both indoor and ...



This terminal box serves as a crucial termination point in FTTX communication networks. It connects feeder cables with drop cables, integrating fiber splicing, splitting, distribution, storage, ...



Termination boxes are suitable for jointing fiber with fiber pigtail and protecting fiber optic splices and helping to distribute. The terminal boxes are divided into a wall-mounting type, a fixed (rack ...




This distribution box has a maximum capacity of 48 cores, with the ability to splice up to 96 cores in total. Our IP65-rated fiber distribution box is versatile for indoor and outdoor use, mountable on walls ...



Premium-Line FTTH distribution box is aimed designed for multi-purpose applications in FTTH projects, the dual layer design supports direct termination, and also FTTH distributions via mini splitter built in, ...



The FDB-48 is suitable for indoor or outdoor FTTX applications that support up to 48 subscribers. It has a durable wall-mountable housing with a weatherproof gasket and weatherproof PG gland entry/exit ...



This 48-core fiber termination box is designed for high-capacity optical cable termination, patching, and distribution. Supporting SC, LC, and FC adapter types, it offers flexible configuration to meet various ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

