

## CE Certified Drop Fiber Optic Cable ADSS



## CE Certified Drop Fiber Optic Cable ADSS



PLP transmission, distribution, substation, fiber optic, solar, and EV solutions protect and connect overhead electric power lines and communications networks.



Jacket: PE/ATJacket Color: black Available Length: Support customization Certification: CE RoHS Working Temperature: -40~+75°C Fiber count: 1-288 Cores Packing: Standard Wooden Drum



ADSS cable is the short form for All-dielectric Self-supporting Optical Cable. ADSS fiber optic cable is loose tube stranded; the tubes are filled with water resistant filling compound.



Long Span ADSS All-dielectric self-supporting loose tube cable All-Dielectric Self-Support (ADSS) fiber cable for up to 2600" (800m) spans common in transmission.



Application: Applied in ADSS Cable construction. If this page does not have the model you want, or if you need custom cable service, please contact us and we will be happy to assist you.



ADSS cable is loose tube stranded. The 250um bare fibers are positioned into a loose tube made of high modulus plastics. The tubes are filled with a water-resistant filling compound. The tubes and fillers ...



We maintain stock of all common fiber counts of ADSS Cable, ready to manufacture and serve as your one-stop solution for ADSS Fiber Optic Cable, FTTH (Fiber to the Home), OSP (Outside Plant), ...



AFL's ADSS (All-Dielectric Self-Supporting) fiber optic cable is designed for aerial installation without the need for messenger wire. Lightweight, non-metallic, and durable, it's ideal for power utility and ...




Fiber counts available for 12-432 fibers. Gel-Free Buffer tubes available with up to 216 fibers. Span lengths available from 100-2500 feet (or meters). Please contact AFL for span lengths outside this ...



AFL Telecommunications' Drop Cable or ADSS Cable is specifically designed for Fiber-to-the-Subscriber and accommodates self-supporting, lashed, and conduit applications.



There is no support or messenger wire required, allowing installation to be achieved in a single pass, dramatically reducing installation time and cost while delivering high-speed internet to rural areas. ...



Designed and manufactured specifically for aerial installation. Reinforced fiberglass with or without sheathing, providing a robust and resistant structure.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

