


Compatible QSFP28 Optical Amplifier from Finnish Supplier



Overview

This QSFP28 pluggable EDFA booster amplifier offers a optical input range and provides a +17dB nominal gain to a C-Band DWDM link. The product has compact size, excellent optical parameter and built-in control circuit, which can be directly. The QSFP28 module provides 100GBase-LR4 throughput up to 10km over a standard pair of single mode fibre (SMF) with duplex LC connectors. This transceiver is compliant with IEEE 802.3 100GBASE-LR4, SFF-8665 and SFF-8636 standards. Digital diagnostics functions are also available via the I2C. At Pro Optix, we hold extensive stock of 100G modules in all leading form factors - QSFP28, CFP, CFP2, CFP4 - plus DAC and AOC cables at 100G speeds. Whether you're upgrading your enterprise network or deploying a new metro link, our transceivers deliver peak performance with full compatibility and. 11 years of experience providing cost-effective optics and solutions for SMB users. Effectively save 50% or more of your budget compared to other third-party vendors. How to install SFP module?

How to remove SFP module?

What are the precautions to. It is configured for Automatic Gain Control (AGC) by default and can be further configured via.

Compatible QSFP28 Optical Amplifier from Finnish Supplier



The official store for QSPTEK. We provide compatible optical modules with online shopping function.



Designed with cost-effectiveness and network provider needs in mind, Precision OT's diverse line of 100G QSFP28 modules enables up to 112G speeds at distances up to 80km using our recently ...



Browse optical transceivers from Pivotal Optics including SFP, SFP28, QSFP28 & QSFP-DD modules. 1G to 400G solutions for data centers & networks. Shop now!



Optcore 100G QSFP28 provides 100GBASE-SR4, IR4, LR4, ER4, ZR4, PSM4, DR, FR, and BiDi variants. Save up to 80%, Fast Shipping, 3-Year Warranty.



This QSFP28 pluggable EDFA booster amplifier offers a optical input range and provides a +17dB nominal gain to a C-Band DWDM link. The pluggable EDFA connects to a composite DWDM link via ...



HW QSFP-100G-LR4 compatible QSFP28 transceiver module is designed for use in 100Gb Ethernet links up to 10km in data centre, Telecom, service provider applications.



100G QSFP28 Transceivers available in various form factors, distances and connectors. Guaranteed compatibility and extensive warranties.



The SFP28 transceiver modules are designed to transmit and receive 25G serial optical data over single mode optical fiber up to 15km Digital diagnostics functions are available via a 2-wire serial I2C interface



Accelink pluggable amplifiers are a series of EDFAs that support hot plug and are compatible with various pluggable small form factor standards, such as XFP/CFP/CFP2/QSFP28/QSFP-DD/OSFP.



Add to quote → C-QSFP28-EDFA-BOOST-17DB-C
Cisco Cisco Compatible QSFP28 Pluggable EDFA
Booster amplifier for DWDM, Duplex LC, Input
power -20dBm to 0dBm, Nominal gain +17dB Add
to ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

