

German DAC High-Speed Cable 25G




German DAC High-Speed Cable 25G



Direct attach copper solution for data centers & high-density networks. The 25G SFP28 Passive Direct Attach Copper Twinax Cable is a reliable, high-speed copper cable designed for 25GbE connections.



25G SFP28 DAC Twinax cables are a powerful, energy-saving solution for 25G Ethernet applications, switches, high-performance computer, data acquisition systems and telecommunications systems.



The 10/25G Direct Attach Copper (DAC) cable family offers a practical and affordable solution for short-range networking. Built with twinax copper cabling and integrated SFP connectors, these cables ...



With these features, this easy to install, high speed, cost-effective direct attach copper twinax cable is suitable for short-distance connectivity within a rack or between adjacent racks in data centers.



Our 25G SFP28 Direct Attach Cables provide a cost-effective solution for short-distance connections (0.5m to 5m), ideal for Top of Rack (ToR), server-to-switch, and high-performance computing ...



Siemon SFP28 25G passive Direct Attach Copper Cable assemblies are designed to exceed industry standard performance offering a cost-effective, low latency, low-power option for high-speed data ...



C-LIGHT independently developed the 25G DAC high-speed cable, whose communication protocol complies with IEEE 802.3ba; interface protocol complies with SFF-8431, SFF-8472; packaging ...



FS 1/10/25G DAC/AOC cables are compliant with MSA and IEEE standards for guaranteed compatibility and optimal performance and suitable for servers, switches, storage, etc. Purchase from nearby ...



We are the SFP28 Direct Attach Copper (DAC) Cable brand of choice by both IT hardware OEM's and Technicians due to superior BER and link performance in critical applications.



25G SFP28 DAC is the next logical migration from 10G to reduce the cost per Gbit/sec and provides 2.5 times the bandwidth of 10G using in the same SFP form factor.



This low power Direct Attach Cable with SFP28 to SFP28 supports up to 25.78 Gbps, a 5m length, and multi-protocol.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

