


# Huawei 1310nm Optical Module Parameters



## Overview

Wavelength: 1310nm This is the wavelength at which the module operates, suitable for long haul and high speed data transmission. If an SFP-10G-ER-1310 optical module is connected to a 10GBase-ER optical module (1550 nm, 10GE, 40 km), the maximum transmission distance is only 20 km due to different specifications such as the wavelength and receiver sensitivity. This module can only be used on a switch running V200R010C00 or a later. A 1310nm optical module lets you move data efficiently through fiber optic communication networks. This high-quality Huawei SFP-10G-LR Compatible 10GBASE LR SFP+ 1310nm 10km DOM Transceiver. A cost-effective solution that provides high bandwidth and tra x/Rx Wavelength: 1310 nm. Media Type: Single-Mode iber (SMF) Optical Budget: 6 dB Max. Model Specification. The L-com FXC-SFP-LX-1G-HWI is an SFP form-factor transceiver, supporting 1G Ethernet rates.

## Huawei 1310nm Optical Module Parameters



If the SFP-10G-ER-1310 is connected to a 10Gbase-ER standard optical module (1550nm, 10GE, 40km), the maximum transmission distance is only 20km due to different specifications such as wavelength ...



Instantly find the answers to all your questions about Huawei products and solutions. Looking to make a purchase? Leave your details and we'll be in touch.



The 10Gigabit 1310nm DFB Transceiver is designed to transmit and receive serial optical data links up from 6.1Gb/s to 10.52Gb/s data rate over 30km single mode fiber. The Transceiver is compliant with ...



Wavelength: 1310nm This is the wavelength at which the module operates, suitable for long haul and high speed data transmission. Data Rate: 0.125Gb/s to 11.1Gb/s The module supports a wide range ...



If an SFP-10G-ER-1310 optical module is connected to a 10GBase-ER optical module (1550 nm, 10GE, 40 km), the maximum transmission distance is only 20 km due to different specifications such as the ...



A 1310nm optical module lets you move data efficiently through fiber optic communication networks. As part of the O-band (1260-1360 nm), it balances low dispersion, stable performance, ...



Engineered for long-distance data transmission up to 10 kilometers, this hot-pluggable SFP+ module operates at a 1310nm wavelength, making it ideal for enterprise networks, metropolitan area ...



Our portfolio includes coaxial cable assemblies, connectors, adapters and custom products as well as lightning and surge protectors, NEMA rated enclosures, and an RF product line which includes ...



If the SFP-10G-ER-1310 is connected to a 10Gbase-ER standard optical module (1550nm, 10GE, 40km), the maximum transmission distance is only 20km due to different specifications such as wavelength ...



Quick Specs ... Product Details Huawei SFP-10G-LR provides these features: x/Rx Wavelength: 1310 nm. / 1310 nm. Media Type: Single-Mode fiber (SMF) Optical Budget: 6 dB Max. Distance: 10 km ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

