Ireland CE Certified DFB Distributed Feedback Laser 200G

© 2026 SMB AI-Systems & High-Speed Interconnect - All rights reserved

Ireland CE Certified DFB Distributed Feedback Laser 200G

This distributed feedback lasers buying guide provides technical background, comparison of major types, selection criteria, and an overview of suppliers.

Distributed Feedback Lasers (DFB) from Innolume ensure high wavelength stability and narrow linewidth. Covering 780-1350 nm, they feature a proprietary chip design.

Narrow down on the list of Distributed Feedback (DFB) Laser Diodes by wavelength, type, technology and other parameters. Once you find a list of relevant products download datasheets and request ...

These devices have been optimized for telecommunication, test & measurements as well as photonic sensing applications (gas). We are ready to lead you into the ...

The Multiple Application Platform (MAP) Distributed Feedback (DFB) lasers are stabilized fixed wavelength light sources with coverage of O-, C- and L-band telemetry wavelengths at 1310, 1510, ...

© 2026 SMB AI-Systems & High-Speed Interconnect - All rights reserved

DFB lasers suitable for near infrared molecular absorption. Available wavelength range between 1260 nm and 2340 nm. A variety of DFB-LDs are available telecom and spectroscopy applications! ...

With versatile, hermetically sealed packages like HHL, TO-can, and fiber-coupled options, our customizable DFB laser diodes ensure precise spectral control and reliable integration into advanced ...

The front facet of the laser chip is provided with a high quality antireflection coating for avoiding the Fabry Perot modes of the laser chip. Distributed Feedback (DFB) Diode Lasers are available at ...

The narrow linewidth, high side mode suppression ratio (SMSR), and low relative intensity noise (RIN) of our DFB platform can achieve high quality optical communications. The customizable multi-channel ...

Our DBR single-frequency lasers offer similar linewidths and tuning ranges to the DFB lasers but have a higher output power at the expense of mode-hop-free operation.

These devices have been optimized for telecommunication, test & measurements as well as photonic sensing applications (gas). We are ready to lead you into the future of light no matter where your ...

© 2026 SMB AI-Systems & High-Speed Interconnect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://samastersbaseball.co.za
Email: sales@samastersbaseball.co.za
Phone: +27 63 874 2095
Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 SMB AI-Systems & High-Speed Interconnect - All rights reserved