



North Korea s 10km optical module




North Korea s 10km optical module




The SFP transceivers are high performance, cost effective modules supporting multi-rate of 10Gbps and 10km transmission distance with SMF. The transceiver consists of three sections: a FP laser ...




On January 4, 2026, North Korea's state media announced the start of serial production of a new electro-optical guided anti-tank missile system, according to KCNA reports carried by international ...



The 100G BIDI 10KM module integrates PAM4 modulation and CWDM (Coarse Wavelength Division Multiplexing) to achieve 100Gbps bidirectional transmission over a single fiber, ...



10GBASE-LR is a 10-gigabit Ethernet optical standard that operates at 1310 nm over single-mode fiber (SMF), supporting link distances of up to 10 km.



Utilizing a 1310nm Distributed Feedback (DFB) laser and a PIN receiver, they achieve robust optical performance over single-mode fiber (SMF) ...



HTFuture's 100G QSFP28 LR4 Optical Module supports 10km SMF transmission at 100Gbps, perfect for high-speed data centers and telecom networks.



Bulsae-4 uses electro-optical seeker combined with command guidance, allowing the missile to be controlled using video signal, optical cable or radio connection.



One of the most efficient answers to this demand is the 100G QSFP28 LR4 optical transceiver. Supporting transmission distances of up to 10 kilometers over single ...



One of the most efficient answers to this demand is the 100G QSFP28 LR4 optical transceiver. Supporting transmission distances of up to 10 kilometers over single-mode fiber, this module enables ...



This product need to use in pair and match up with fiber converter and optical Ethernet switch with SFP slot, it can be used in Ethernet, telecom and optical fiber communication and other industries.



Utilizing a 1310nm Distributed Feedback (DFB) laser and a PIN receiver, they achieve robust optical performance over single-mode fiber (SMF) for distances up to 10 kilometers.



10GBASE-LR SFP+ 1310nm 10km DOM Transceiver. 10-Gigabit Ethernet links up to 10km over Single Mode fiber. They are compliant with SFF-8431, SFF-8432 and IEEE 802.3ae 10GBASE-LR/LW, and ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

