

## Optical modules 10GB 25GB and 100GB



## Optical modules 10GB 25GB and 100GB



The Cisco QSFP-100G-SR-S Module is a pluggable optical transceiver with a duplex LC connector interface supporting link lengths of 70 and 100 meters on laser-optimized OM3 and ...



To enable these devices to function and interconnect appropriately in a variety of customer Ethernet networks, a range of pluggable transceivers and cables are regularly tested, validated, and offered ...



Key features (offloads, SR-IOV, PTP) that matter for enterprise and data center deployments. A structured checklist to help you pick the right NIC for ...



Compare SFP28 25G SR and 10/25G dual-rate modules in speed, compatibility, and use cases to choose the right fit for your evolving network needs.




Key features (offloads, SR-IOV, PTP) that matter for enterprise and data center deployments. A structured checklist to help you pick the right NIC for your needs. Fiber NICs come ...



Long- and short-range optical connectivity options are suited to a wide range of data center and campus applications. For the shortest connections, passive copper direct attach cable (DAC) is a simple and ...



A fiber optic transceiver is adapted for use in transmitting and receiving optical signals in a fiber-optical network. With strong research and development capabilities, 10Gtek designs and manufactures a ...



The fronthaul optical module mainly includes 25Gb/s and 100Gb/s two rate types, supporting hundreds of meters to 20 km of typical transmission distance.



Optical short-range SFP28 transceiver module for networking adapters, PCIe cards, switches, and storage systems. Enables short-range 25Gb or 10Gb Ethernet network connection at up to 100 meters.



A fiber optic transceiver is adapted for use in transmitting and ...



SFP transceivers are compact, hot-pluggable modules used for data transmission over fiber optic or copper cables. They are designed to support different network speeds, ranging from 1 ...



Arista's Optical Modules and Cable portfolio offer a wide variety of high-density and low-power 800G (dual 400G), 400G, 200G, 100G, 50G, 40G, 25G, 10G, 1G, and 100M Ethernet connectivity options ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

